

Balanced Nutrition, Food Safety, and the Role of Diet in Preventing Diseases Worldwide

Muhammad Ishaque M.R.

Department of Eastern Medicine, University of Sindh, Jamshoro, Sindh, Pakistan.

Corresponding author email: m.ishaque@usindh.edu.pk

ORCID ID: <https://orcid.org/0000-0002-4405-978X>

Mahvish Jabeen Channa

Institute of biochemistry & nutrition & food science, University of Sindh, Jamshoro, Sindh, Pakistan

Benish Nawaz Mirani

Department of Applied Sciences (Food science and Technology Program), Hamdard University, Karachi, Sindh, Pakistan

Piriha Abbasi

Department of Anatomy, ISRA University Hyderabad, Sindh, Pakistan

Khadija Tul Kubra

Department of Eastern Medicine, University of Sindh, Jamshoro, Sindh, Pakistan

Abstract

Global health is founded on two primary principles: having access to and consuming a variety of food sources for providing nutritional balance, and ensuring that food consumed is safe from contamination. Nutrition and food safety will prevent communicable and non-communicable disease. With an ever-increasing world population, urbanization, globalisation and modern lifestyles have resulted in changing dietary habits, which include an increase in the amount of processed foods consumed and a

decrease in the consumption of needed nutrients. Due to these shifts in dietary patterns, the increasing prevalence of chronic diseases (i.e., obesity, diabetes, heart disease, and select types of cancer) is evident. Additionally, food safety issues (i.e., food contamination, foodborne disease, and poor hygiene) persist as an ever-growing public health issue, particularly in developing countries. This article illustrates the health

Author Details

Received on 20 March, 2026

Accepted on 12 April, 2026

Published on 13 April, 2026

Corresponding E-mails & Authors*:

Muhammad Ishaque M.R

m.ishaque@usindh.edu.pk

<https://orcid.org/0000-0002-4405-978X>

importance of balanced nutrition and discusses the importance of macronutrients (i.e., carbohydrates, proteins, and fats) and micronutrients (i.e., vitamins and minerals) for maintaining proper body function and providing for good overall health. Additionally, it discusses measures for safe food handling, storage, and preparation in order to reduce risk to health. Also, the article provides an analysis of the relationship between diet and disease creation, with an overview of how proper dietary patterns can reduce disease burden and improve quality of life.

Keywords: Balanced Nutrition, Food Safety, Disease Prevention, Healthy Diet, Public Health, Micronutrients, Macronutrients, Foodborne Diseases, Chronic Diseases, Global Health

1. Introduction

Food and nutrition play significant roles in our health; they provide the nutrients necessary to support our growth and help maintain the body's functions throughout life (Singh, et al 2024). However, over the past 30 years, dietary patterns have changed drastically as the availability of processed foods has increased due to many factors: sociocultural, economic, and physical inactivity. As a result, there are now two types of malnutrition - undernutrition in some places and overnutrition in other places.

Food safety is critical to ensuring good health; unsafe food can cause serious illnesses, including infectious and chronic diseases. The World Health Organization estimates that millions of people around the world become sick from eating contaminated food, and that many of these cases could be prevented if proper hygiene and safe food handling practices were used.

The link between diet and prevention of chronic diseases has gained credibility over the last several years in public health research. A well-balanced diet can help promote and maintain the health of the individual while at the same time reducing the risks associated with chronic diseases, such as heart disease, diabetes, and cancer (Al Mutairi, et al 2022). This article provides an overview of balanced nutrition, food safety, and their relationship in preventing disease globally.

2. Balanced Nutrition

2.1 Definition and Importance

Eating a balanced diet helps the body obtain all essential nutrients necessary to function optimally. A balanced diet is more than simply eating enough food; it also means eating the right kinds of food and in the appropriate amounts. A balanced diet includes macronutrients (carbohydrates, proteins, and fats) and micronutrients (vitamins and minerals), along with adequate hydration. Each type of nutrient plays an important role in maintaining balance, supporting cellular function, and sustaining health.

Balanced nutrition is important throughout the human life cycle (infancy through elder years). Balanced nutrition is especially vital during childhood and adolescence, since nutrition during these stages is needed for physical growth, brain development, and cognitive functioning (Corkins, et al 2016). In adulthood, balanced nutrition helps maintain body function, provides energy, and helps prevent chronic diseases. In the elder years, balanced nutrition aids in maintaining bone density and muscle strength as well as supporting immune function. Without proper nutrition, the body is subject to a variety of health-related issues (e.g., fatigue, impaired immune function, nutrient deficiencies, etc.).

Balanced nutrition plays an essential role in boosting your body's immunity through supplying it with important nutrients, including vitamins A, C, D and E and minerals like zinc and iron, which help protect your body from infection and diseases. Balanced nutrition also helps ensure proper growth and development in children through providing the body with the proteins and essential amino acids necessary for creating and repairing tissues. In addition, maintaining a healthy body weight is closely associated with balanced nutrition; if you consume an excess amount of or not enough nutrients, then you run the risk of becoming obese or malnourished, both of which can cause serious health problems. Finally, one of the other key benefits of using balanced nutrition is to prevent nutrient deficiencies such as iron-deficiency anemia or vitamin D-deficiency rickets, both of which still exist in some parts of the world (Kiani, et al 2022).

The fast-paced environment of our society today makes it increasingly difficult for people to achieve balanced nutrition due to the prevalence of processed and convenience foods. Poor eating habits caused by high levels of sugar, salt and unhealthy

fats can upset the body's balance of nutrients and increase the risk of developing non-communicable diseases, such as those associated with being overweight or obese. Therefore, learning about and using the principles of balanced nutrition in daily life is necessary for living long, healthy lives.

2.2 Macronutrients

Macronutrients are types of nutrient that our body's needs are principally do this from easily absorbed found. There are three types of macronutrients – carbohydrate, protein, and fat. Each macronutrient has a unique but very closely connected role in maintaining optimal health. Therefore, it is important to consume appropriate amounts of each macronutrient for proper health. Any excess of any one macronutrient or deficiency of any one macronutrient can result in causing metabolic imbalances and health problems (Savarino, et al 2021).

Carbohydrates

Carbohydrates are the body's main source of energy; they are also the most efficient source of energy to be used. When consumed, carbohydrates are broken down into glucose, which the cells use to produce energy for your daily needs, physical activity, and other vital functions like breathing and circulation. The brain relies on glucose as its primary source of energy, which is why carbohydrates are necessary for healthy brain function and maximum mental performance.

The primary type of carbohydrate is classified as simple or complex carbohydrates. Simple carbohydrates are typically found in sugary foods and drinks and are very quick sources of energy but have little or no nutritional value and cause your body's blood sugar levels to rise rapidly. In contrast, complex carbohydrates, such as whole grains, fruits, vegetables, and legumes, are digested slowly, providing you with a slow and steady source of energy; they also help to keep your body's blood glucose levels stable (Betts, et al 2023). Complex carbohydrates are also high in dietary fiber, which promotes regularity; thus, they are important for maintaining digestive health and preventing constipation.

Complex carbohydrates provide several benefits when consumed regularly to maintain a healthy lifestyle. They play a key role in assisting with various metabolic operations within the body, helping to prevent chronic diseases like Type 2 diabetes &

heart disease. In contrast, refined carbohydrates (i.e., white bread, pastries, sweets) have been shown to increase weight and cause metabolic dysfunctions in people who consume them in excess. Consequently, evaluating both quantity and quality (i.e., source) are necessary considerations when choosing what type of carbohydrate you are going to consume as part of your daily diet.

Proteins

Proteins are necessary building blocks in the body and are needed for growth, repair, and maintaining tissues; they are made from amino acids and some of these amino acids do not make themselves inside the body but need to come from food (Wu, et al 2009). Proteins are also critical for the formation of muscles, skin, enzymes, hormones, and antibodies, which makes proteins important for both structural and functional purposes in the body.

An example of the importance of protein is the role protein plays in the restoration and repair of tissue after an injury or physical exertion; protein aids tissue repair after an injury by assisting in the rebuilding of damaged tissue and helping with muscle recovery. Protein is also required for enzyme and hormone production, which aids in regulating body functions such as digestion, metabolism, and the human defence mechanism. Antibodies are necessary to aid the body in fighting off infections and diseases, and protein contributes to the formation of antibodies.

Protein can be obtained through both animal (complete) and plant-based sources (incomplete). Animal-derived proteins such as meat, fish, eggs and dairy provide all of the essential amino acids required by the body (Wood, et al 2024). In contrast, many plant-based sources, including legumes, beans, lentils, nuts and seeds, are deficient in one or more essential amino acids; however, they can be combined to provide adequate amino acids for a balanced diet and supply the protein needs of an individual. The increasing interest in plant-based diets has made it imperative to understand how individuals can obtain sufficient protein from these diverse sources.

The need for adequate protein intake is critical to good health, yet the over-consumption of protein (especially from processed meats), is linked to increased risks for certain diseases, especially heart disease. By finding a balance of high quality protein

sources, a person will be able to meet their body's protein needs, thereby maximizing their overall health.

Fats

Fats are one other essential type of macronutrient and have surprisingly positive effects on your health when eaten properly (Gush, et al 2021). However, because many have been wrongly blamed for people's health problems, they are crucial components of many human functions, from providing energy for the body to serving as insulation and protecting money and other major organs.

Fats are also critical in helping our bodies absorb fat-soluble nutrients such as vitamins A, D, E, and K, all important to many biological systems in our bodies. Fats have long been classified based on their chemical composition into saturated, unsaturated, and trans fats, each with specific beneficial qualities. Unsaturated fat (both mono- and polyunsaturated), which can be found in foods like nuts, seeds, avocados, and oils derived from plants, tend to be good for your heart since they will help reduce your bad cholesterol levels and reduce the likelihood of developing heart disease.

Saturated fat is commonly found in animal-derived products (like butter, cheese, and beef), requires limited or moderate consumption, as excessive consumption may significantly increase your risk of developing a heart condition (Teicholz, et al 2014). However, trans fats (present in many fried and processed foods) are very harmful and should generally be avoided because they have a well-established link to increased risk of developing cardiovascular problems.

The brain has a significant amount of body fat and will benefit from the appropriate amount of body fats in the diet. This means that if you want your brain to work properly, you have to provide the proper amount of fat to it. Healthy fats will help improve your brain's capacity and functionality through providing it with necessary fatty acids. Healthy fats will also aid in the production of the hormones in your body that control the way your body works. Metabolism is how your body gets energy from food and uses it, while hormones also impact how your body reproduces.

In conclusion, a diet that includes fats is a necessary component of a healthy diet as long as you choose the right type and amount of fat. Thus, you should focus on eating

the good fats but try to limit your consumption of unhealthy fats to maintain good overall health and prevent disease.

2.3 Micronutrients

Micronutrients (nutrients needed in small amounts) are critical components of good health and have disproportionately larger impacts on overall health and healthy functioning than macronutrients (nutrients that provide you with energy); even though micronutrients do not directly provide energy, they do impact how the body uses energy so it can survive and function; deficits for even 1 micromineral nutrient can interfere with normal functioning and create serious health problems.

Micronutrients (vitamins and minerals) play a significant role in many different processes in the body (Arif, et al 2024). For example, some areas where vitamins regulate biological processes include: Vitamin A plays an important role in keeping your eyesight clear at night and protecting you against infection by helping you resist becoming ill. If you do not get enough vitamin A, you can develop night blindness, as well as an increased risk of developing a number of diseases. Vitamin C is a potent antioxidant that protects the cells from being damaged by free radicals as well as something that is critical in making collagen (important for healthy skin, healing cuts, and keeping blood vessels healthy). When you do not eat enough vitamin C, you are at a higher risk of developing immunity to diseases, and are at a higher risk of developing diseases such as scurvy.

Minerals are inorganic compounds that provide structural support and help perform certain important functions in the body. An important mineral used by the body to produce hemoglobin (found in red blood cells) is iron. Hemoglobin transports oxygen throughout the body from the lungs; therefore, without enough iron the body cannot produce adequate amounts of hemoglobin, resulting in a common deficiency of nutrition, iron deficiency anemia or low red blood cell production. A critical consequence of having low iron is that the person becomes fatigued, weak, and may have decreased cognitive ability (Jáuregui-Lobera, et al 2014). Calcium is a very important mineral because its major function is to maintain and develop strong bones and teeth. Calcium also has an important role in nerve conduction, muscle contraction, and clot formation. A person who does not have enough calcium continues to live

normally, however if they continue to have low levels of calcium for a long time, it compromises their bone strength resulting in developing conditions such as osteoporosis, increasing their chance of breaking a bone.

Other micronutrients, such as zinc, iodine, magnesium and vitamin D, are just as important to health as calcium and iron. Zinc aids with immune function and wound healing, while iodine is critical for proper thyroid functioning and metabolic processing. Vitamin D enhances the absorption of calcium and protects against developing osteoporosis, especially in those who have less exposure to the sun.

Micronutrient deficiency can have serious and far-reaching effects, especially for countries where there is little access to healthy foods. Deficiencies in essential minerals or vitamins can cause things such as anemia, weakened immune systems, osteoporosis, and developmental issues (Shankar, et al 2020). It is important to consume a variety of healthy foods (such as fruits, vegetables, whole grains, and richly nutritious foods) to reduce the risk of suffering from these types of deficiencies and to promote health over the long term.

3. Food Safety

3.1 Importance of Food Safety

Ensuring the safety of our food is a critical part of public health that guarantees all the food people eat is free from damaging impurities and safe to eat. Food safety includes every action taken during the handling, preparation, storing, and distributing of food to prevent any type of contamination and reduce the chance of people getting sick from contaminated food or beverages. As global supply chains for our food become more complicated and worldwide, food safety has become even more important than it has ever been before (Wallace, et al 2018).

Food that is unsafe to eat can easily be a means of transmitting many kinds of diseases that are caused by bacterial infections, viruses, parasites, and chemicals. Eating contaminated food can not only harm the person who consumes the food but can also result in an epidemic that stresses the healthcare system and decreases the productivity of people who are affected by the epidemic. Certain groups of people, such as young children, pregnant women, the elderly, and anyone with a compromised immune system are at an elevated risk for suffering severe consequences from foodborne diseases.

Food safety and contamination also include both government regulators and the food industry as well as individuals preparing and eating food at home by applying simple practices of proper hygiene, safe cooking procedures, and correct methods of food storage to dramatically lower the risk of being exposed to contaminated food and beverages (Jacob, et al 1989). As a result, having awareness of how to properly prepare, store, and consume food will assist in protecting the public's health along with preventing the preventable spread of disease.

3.2 Common Causes of Food Contamination

Food contamination can happen at any point in the supply chain, whether it's during production, processing, preparation, or consumption. Poor hygiene practices (such as a lack of handwashing) are one of the most common causes of food contamination. If food handlers do not keep their hands, surfaces, and utensils clean, then there is a high possibility that harmful microorganisms from these surfaces will be transferred to the food that they handle.

Inadequate storage conditions also play a major role in food contamination. Foods that need to be cooled quickly should not be left at room temperature for an extended period as this will allow for bacterial growth, thus making the food unsafe to eat. To slow down the growth of bacteria and preserve the quality of food, it is important to keep food at the proper temperature.

Cross-contamination is yet another area where food contamination occurs and can occur during the food handling process (Ebert, et al 2018). Cross-contamination occurs when unwanted bacteria from one food product are transferred onto another food product using the same equipment or surface to prepare the two products. Cross-contamination is very common with raw foods (e.g., meat and poultry) that are prepared using shared utensils/cutting boards with ready-to-eat foods (e.g., fruits and salads). To prevent cross-contamination, it is important to separate raw from cooked/ready-to-eat food and to use clean utensils and cutting boards when preparing food.

Consuming food that has been deemed expired or rotten puts you at risk for developing an illness. When you eat food that has passed its expiry (or appears to have gone bad), you could be ingesting dangerous toxins or microorganisms. Therefore it's

very important to check product labels and make sure the product hasn't expired; this is a critical measure for ensuring that your food is safe to eat!

3.3 Foodborne Diseases

Foodborne illness or food poisoning is a serious and growing concern worldwide because millions of drinkers and eaters experience these diseases every year (Mohammad, et al 2018). They are also responsible for enormous amounts of sickness and deaths across all age groups. Various pathogens can cause foodborne illnesses, including bacterial pathogens such as Salmonella or E. coli and parasites. Viruses such as Norovirus cause foodborne illness.

Symptoms of foodborne illness can vary depending on the type of pathogen. However, common symptoms include nausea, vomiting, fever, and abdominal cramping. Symptoms generally appear within hours or days after eating food that has been contaminated. Some foodborne illnesses may resolve themselves without medical intervention; however, there are many cases of severe foodborne illness resulting in dehydration, organ failure, and potentially death if immediate medical treatment is not given.

Foodborne illnesses put vulnerable populations, such as young children, the elderly, and immunocompromised individuals (e.g., people undergoing chemotherapy) at risk of developing severe complications. People with limited access to clean water, adequate sanitation, or adequate medical care (e.g., developing countries) may be at an even higher risk of developing complications. Contaminated food can be widely distributed in large amounts, leading to significant public health issues and highlighted the need for strong food safety regulations and monitoring systems.

Foodborne diseases not only affect individuals' short-term health but can also lead to long-standing health effects. Examples include kidney problems and chronic digestive disorders - demonstrating the importance of the development and implementation of preventative measures and increased awareness in order to diminish the burden of these diseases on a global scale (Jha, et al 2013).

3.4 Preventive Measures

To reduce the chance of foodborne disease, individuals and communities must be aware of the importance and practice of hygiene when handling food. There are many

different methods to prevent foodborne diseases; however, one of the simplest ways is thoroughly washing one's hands with soap and clean water before preparing or serving any food, after each use of the toilet, and after touching raw meats. This one method can significantly decrease the likelihood of transferring harmful microorganisms from one person to another.

Another way to ensure food safety is to cook food at the correct temperature. Cooking food to the correct internal temperature kills many of the harmful bacteria and parasites that may be present on the food at the time of cooking. These examples of meat, poultry, and seafood should be cooked all the way through to kill any potential pathogens. A food thermometer can be used to determine the proper internal cooking temperatures for foods.

Properly storing food is also essential to keeping food safe. Refrigerating perishable items as soon as possible after purchase, and not allowing leftovers to sit out at room temperature for long periods, will help reduce the rate of bacterial growth and the quality of food; Additionally, labeling food properly and consuming it before the expiration date will prevent individuals from eating foods that have spoiled or have expired (Van et al 2014).

Keeping foods separate at all times is one of the most important factors to avoid cross-contamination of food. To accomplish this, one should always use separate cutting boards & utensils when preparing meat products and cooking; regularly clean and sanitize all kitchen surfaces and separate raw foods from ready-to-dine (ready-eaten) food.

Accordingly, minimizing transfer of potentially harmful micro-organisms from raw or contaminated food to cooked/eaten food by providing clean sanitary environments. Food safety is a cooperative effort that involves constant attention and awareness for everyone involved in preparing or serving food for others. By taking a simple yet effective preventive measure against foodborne illness, anyone can decrease the possibility of someone developing an illness caused by contaminated food (either locally or nationally), making a positive contribution to the overall health of themselves and their communities.

4. Role of Diet in Preventing Diseases

4.1 Non-Communicable Diseases (NCDs)

Non-communicable conditions (NACs) or chronic ailments are ongoing medical issues that do not spread from one individual to another; these conditions include heart issues, diabetes, cancer, overweight/obesity and collectively these conditions cause most of the premature illness and death we see throughout the world (Chandra, et al 2022). We now recognize that nutrition plays a significant role in improving the health and well-being of the body and it allows a person to eliminate risk factors associated with NACs. Unfortunately, over the last some years, people have steadily increased their consumption of poor-quality, processed foods, including the excessive use of sugar, salt, saturated fats and preservatives. This increased reliance on unhealthy processed food has led to an increasing incidence of NACs globally. Therefore, healthy, clean eating can enhance a person's body and help them eliminate or reduce the risk factor for some of these NACs.

Diet impacts the human body at many levels including: metabolism; inflammation; hormone balance; and immune system function. Nutrient-dense foods, such as whole fruits and vegetables, whole grains, lean proteins (poultry, fish, beans, nuts, etc.) and healthy oils (olive oil, peanut oil, etc.) provide our bodies with nutrients that increase our body's ability to reduce oxidative stress caused from free radicals and chronic inflammation. Oxidative stress and chronic inflammation are two of the most significant processes that contribute to the development of NACs (Matera, et al 2016). Many of the dietary habits we develop as children will be carried throughout our lifespan and therefore, promoting proper nutritional behaviours in all populations needs to be a major public health initiative.

Cardiovascular Diseases

Diseased cardiovascular system (CVD) has been known to be one of the leading causes of death worldwide (i.e. by heart attack or stroke). Additionally, food is an important factor in the formation and prevention of CVD. If you eat foods high in saturated fat, trans fat, cholesterol, and sodium, this can create fatty deposits and lead to an abundance of arteries being clogged (Atherosclerosis). The result is that you will have a

narrowing of your blood vessels, which leads to having more complications with your heart.

Compared to the unhealthy fats, consuming a diet based mostly on fruits and vegetables (low) and on whole grains and (good) fats will lower your chances of developing cardiovascular disease; thus, it's important to eat fibres, vitamins, and minerals found in fruit or vegetables because these are also high in antioxidants, which will help lower your blood pressure, cholesterol and eventually improve your cardiovascular overall health. Whole grains will help to improve the lipid profiles, which are also going to lower your chances of developing cardiovascular disease. Good fats (primarily nuts, seeds, and olive oil) will help to create a good cholesterol balance between HDL and LDL.

One of the most important steps to prevent high blood pressure is to reduce your salt intake. A major contributor to cardiovascular diseases is having high blood pressure, which puts pressure on the heart and blood vessels (Fuchs, et al 2020). When you consume too much sodium you increase your risk of having high blood pressure and all the problems associated with it. Adopting a heart-healthy diet can greatly reduce the worldwide burden of cardiovascular disease.

Diabetes

Type 2 diabetes is a chronic disease where the body struggles to make enough insulin and is resistant to the insulin it produces. It occurs when blood glucose levels remain high over a long time frame. Diet is crucial in helping prevent and control diabetes by eating a healthy diet and maintaining a healthy body weight. Unhealthy eating patterns, particularly with high refined sugar and simple carbohydrate consumption, can lead to rapid increases in blood glucose levels and eventually to the development of insulin resistance (MacDonald, et al 2016).

Eating a balanced diet with good sources of carbohydrates (like whole grains, legumes, and vegetables) can help stabilize blood glucose. Foods containing dietary fiber, which will help slow down the rate in which sugar is absorbed into the blood, can prevent a sudden increase in blood glucose (sugar level). Additionally, dietary fiber has been shown to increase insulin sensitivity, making it easier for the body to regulate blood glucose levels.

The overall balance of foods eaten also plays an important role in the prevention and control of diabetes. Eating meals containing lean protein and healthy fats will help to regulate appetite (prevent overeating) and maintain energy over the long term. Limiting consumption of sugary beverages, processed foods/snacks, and high-calorie foods can also reduce the risk of developing diabetes. In conclusion, maintaining a healthy diet and weight can greatly reduce your risk of developing type 2 diabetes while improving your metabolic health.

Cancer

The development of cancer, which consists of many different diseases that are characterized by abnormal cell proliferation, is impacted by a variety of factors, including dietary intake (Hassanpour, et al 2017). While there are many different factors impacting the development of cancer, diet is the main lifestyle-related factor that can be changed to reduce risk. There are a number of dietary patterns that have been linked with increased risk of cancer, and some have been identified as having protective effects vs. others.

Diets that are high in processed meats, red meats, and unhealthy fats have been linked to an increase in the incidence of various cancers, particularly colorectal cancer. Conversely, diets that are predominantly composed of fruits and vegetables, whole grains, and plant-based (or vegetarian) foods have been associated with lower cancer rates. Foods included in these diets provide a wide variety of antioxidants, vitamins, minerals, and phytochemicals that can protect the cells within your body from damage by free radicals. Free radical damage can lead to DNA damage, oxidative stress, free radical accumulation, and the development of cancer. Therefore, vitamins C and E (two common antioxidants) work cooperatively to eliminate harmful free radicals and prevent damage to DNA from oxidative stress in the cells.

Consuming abundant amounts of fiber provides an extra layer of defense against certain types of cancer, namely those cancers located within the digestive system. Fiber helps maintain optimal bowel function and limits the duration of exposure to harmful agents in the digestive tract lining that may lead to malignancies (Biswas, et al 2022). Furthermore, having an optimal weight via a healthy diet lowers the risk of developing some cancers that are associated with hormones (for example, breast cancer or

endometrial cancer). Although there are many things other than just diet that may contribute to cancer risk, a balanced diet can greatly lower your cancer risk and promote good overall health.

Obesity

Obesity is a growing health issue and an important contributor to a number of non-infectious diseases such as heart conditions, diabetes, and some forms of cancer. One significant cause of obesity is the imbalance created between the number of calories consumed and the number of calories being expended or burned due to lack of physical activity, which has occurred primarily through overeating.

The role of diet in this imbalance is significant and will be a major contributor to controlling and preventing obesity. To maintain a healthy body weight, people must develop healthy eating habits to include sensible portion sizes and be mindful of their eating behaviors. Eating foods that are primarily whole foods (foods that have not been processed) will help to regulate a person's appetite and provide the body with sustained energy intake without providing excessive calories. Foods high in fiber or protein will help to satisfy a person's appetite and will help to keep them from overeating and snacking and/or eating unhealthily (Njike, et al 2016).

On the other hand, consuming high-sugar options such as sugary drinks, low-nutrient options such as fast food, and processed snack foods, creates an overabundance of calories taken in versus calories burned, ultimately leading to weight gain over time. These types of food are energy-dense but have very little nutritional value, increasing significantly the likelihood of developing obesity. If people continue to eat high-calorie, low-nutrient foods such as those listed above, their metabolic processes will be disrupted and fat will begin to accumulate in their bodies.

To prevent obesity a multi-faceted approach must be taken into account. This will include a healthy diet, regular activity, and lipid modification of the lifestyle. With these factors in place, a person may manage their own weight and lower their chances of developing obesity or other chronic diseases.

4.2 Communicable Diseases

Infectious diseases (also called communicable diseases) are caused by pathogens (microorganisms) such as bacteria, viruses, parasites, and fungi; they can be transmitted

from person to person directly or indirectly (Prabhu ,et al 2023). The control of infectious diseases is dependent upon many factors including sanitation, vaccination, and access to healthcare services, but nutrition has an equally significant impact on a person's susceptibility to acquiring disease and on how well they respond to infection. Proper nutrition strengthens the immune system so that it can effectively combat the pathogens that have invaded the body and recover from illness more quickly.

A balanced diet supplies all the essential nutrients needed to maintain a normal function of the immune system. Essential nutrients include vitamins A, C, D, and E, as well as minerals such as zinc, iron, and selenium. Nutrients such as these help produce and activate immune cells, increase the ability of the body to fight infection, and reduce inflammation in the body. For example, vitamin C is a key nutrient for improving white blood cell function, whereas zinc is important for developing and communicating between immune cells. Consuming adequate amounts of protein is imperative, since proteins are required for making antibodies and other molecules that protect the body from infection.

Proper Nutrition Enhances Immune Function and Protects Against Infectious Disease:

Proper nutrition has been proven to boost immunity to infectious diseases such as tuberculosis (TB), influenza, and COVID-19 (Calder, et al 2020). For example, individuals who are undernourished are at much greater risk of developing active TB due to an impaired immune system. In addition, people who have optimal nutrition status have been shown to have milder symptoms associated with viral illness, such as influenza and COVID-19, and therefore recover from illness more quickly than those with nutrient deficiencies. The recent pandemic of COVID-19 has demonstrated the need for good nutritional health as a measure of support in the prevention and management of disease.

Conversely, malnutrition, whether undernutrition or micronutrient deficiency, dramatically impairs the immune system and ultimately increases the likelihood of contracting an infection(s). Undernourished individuals frequently exhibit an impaired immune system that does not effectively fight infections. Impaired immune systems not only increase the risk of developing an infection but also increase the length of time someone remains ill and is at risk of developing complications from an infection.

Children are particularly vulnerable to malnutrition and will suffer from impaired physical growth and impaired immune system development, leading to significantly increased morbidity and mortality related to infectious disease.

Nutrition represents the broad foundation of both the prevention and control of communicable disease. Adequate intake of essential nutrients through diet can enhance the immune system, lower infection risk, and improve health status (Humphries, et al 2021). The integration of nutrition into disease prevention strategies at the public health level is certainly crucial to the overall success of global control of infectious disease.

5. Global Perspective and Data

5.1 Malnutrition Statistics

Malnourishment is the single biggest global health crisis today; millions around the world suffer from malnourishment as a result of being both neglected and rejected for help by the rest of society. Malnourishment has many definitions ranging from extreme under-nourishment or over-nourishment to deficiencies in vitamins and minerals. There have been many improvements in medical technology and agricultural methods but, as a result of these improvements, many people still experience inadequate nutrition globally.

Undernourished children are found all over the world, but they are primarily found in low and middle-income countries. The position of the child can be explained by three conditions: no food available, lack of quality food and no healthcare or sanitation available. Undernutrition in children leads to increased vulnerability for infection, lower physical and mental development, and an increased risk of dying young. At the same time obesity, which represents another aspect of malnutrition, is increasing around the world. The change of urbanisation, sedentary lifestyles and easy access to unhealthy, high-calorie processed foods have led to a significant increase in both adults and children being overweight and/or obese. If left unchecked, the increase in obesity is concerning given that it is a significant contributor to various non-communicable diseases such as diabetes, heart disease and certain cancers.

Billions of people around the globe suffer from micronutrient deficiency; this condition is commonly called "hidden hunger." Micronutrient deficiencies occur when an individual does not have enough of one or more important types of vitamins or

minerals to sustain good health. Commonly deficient micronutrients include iron, vitamin A, pantothenic acid, iodine, and zinc. The resulting health conditions that may arise from micronutrient deficiency range from anemia (low red blood cells) to immune system dysfunction (inadequate immune response), impaired vision, or delayed cognitive development. These problems are particularly prevalent in groups of people who have limited access to a variety of healthy food sources and are thus in need of more extensive nutrition education and interventions related to improving dietary diversity and nutrition.

5.2 Dietary Trends

A major shift has taken place in the global food system due to changing dietary patterns influenced by socio economic development, urbanization and globalization (Pingali, et al 2007). One major change was the rise of convenience-based processed foods. These convenient, low-cost, easy-to-find processed foods tend to be very high in sugar, fat, etc. and provide little to no nutrition.

This trend of increased consumption of processed foods coincides with a reduction of the consumption of foods that provide the body with the nutrients it needs (e.g., fresh fruits/vegetables and whole grains). Foods such as fresh fruits/vegetables and whole grains provide our bodies with the nutrients we need for optimal health. Because of many factors including cost, access, and changing lifestyles many people consume inadequate amounts of foods that contain essential nutrients and subsequently everyone suffers from inadequate nutrition and a higher risk of developing chronic diseases.

A major concern today is the excessive amount of sugar and salt in our diets. An individual's excessive consumption of sugar (especially from soda, sweetened beverages, and processed snack products) is a key driver of obesity and many other illnesses. Too much sodium has been shown to raise blood pressure and lead to cardiovascular disease. In this case we see the movement away from the traditional well-balanced meal toward a more energy-dense and nutrient poor food products.

In order to respond to these food consumption trends, we must utilize a variety of public health initiatives, educational strategies, and policy interventions to encourage healthier dietary behaviours (Bowen, et al 2015). In order to improve nutrition across the

globe, it is critical to promote the consumption of whole and minimally processed foods while reducing the consumption of harmful dietary components.

5.3 Impact on Healthcare Systems

Malnutrition and bad eating habits lead to serious consequences not only for a person's health but also for health care systems as well as national economies as a whole. As more people have diet-related disease the health care system experiences an increased burden with respect to health care infrastructure, increased costs associated with providing medical care to these patients, and an increase in health care resources. Treatment for long-term chronic illness, such as diabetes, cardiovascular disease, and obesity, requires extensive and expensive medical attention and can put significant pressure on health care systems, especially those in countries with limited resources.

Poor nutrition not only leads to direct health care costs but also contributes to reduced productivity and economic loss. Malnourished people and those who have diet-related illness will often have lower physical performance and lower cognitive performance, resulting in lower efficiency at work and increased absenteeism (Drewnowski, et al 2020). In children, lack of proper nutrition can impact learning and academic performance, thus limiting potential for future economic success.

Preventative nutrition strategies to address these challenges are available at a fraction of the cost of treating the underlying cause of disease or inefficiency; thus providing an economically viable approach to reducing both communicable and non-communicable diseases, through the encouragement of improved dietary practices and improved access to nutritious food sources. Public Health strategies (such as nutrition education, food fortification, and policy implementation) can lead to improved population health and a reduction in the financial burden on health care systems.

In conclusion, there is need for all stakeholders to work together to combat the daily increased challenges of global nutrition. Nutrition must be viewed through a lens of community, NGO, government, and provider partnerships, with public health priorities (e.g., nutrition) included in the public health domain, in order to achieve the best achievable health outcomes for all people, particularly improving productivity, to continue the ability to achieve sustainable development.

6. Public Health Strategies

In addition to their importance in fostering healthy eating, public health initiatives are critical in ensuring the safety of foods, helping to eliminate both communicable and noncommunicable disease. Many people suffer from poor nutrition or malnutrition through their diets alone, so public health programs for nutrition must have multiple level (i.e., individual, community, or governmental) interventions (Fanzo, et al 2014). These multiple levels of intervention are designed to improve the individual's capability to make healthful food choices by educating them on nutrition and creating an environment that supports a healthy diet. A coordinated approach to education, policy, and community-based interventions can greatly enhance the state of nutrition globally and help reduce the overall global disease burden.

6.1 Nutrition Education

Public health improvement can be attributed to the use of nutrition education as one of the best possible methods.

The purpose behind nutrition education is to provide people and communities with information regarding how to eat well, including what constitutes a balanced diet, how to make healthy choices, how to control portion sizes, and how to develop lifelong healthy habits. The power of creating awareness of these topics helps people to make informed food choices by allowing them to understand how nutrition can affect their body as well as their quality of life.

A successful nutrition education program not only provides information to individuals but also addresses changing attitudes and behaviours related to diet. For instance, individuals may have knowledge of the benefits of eating fruits and vegetables, but through nutrition education, people can learn about the proper serving sizes of these foods, how they can be incorporated into meals on a daily basis, and why they are important for the prevention of diseases. Schools, universities, healthcare facilities, and media can prohibitively produce and deliver nutrition education material to all people, regardless of their backgrounds (Contento, et al 2007).

Finally, nutrition education is also crucial when it comes to dispelling myths regarding proper nutrition that are encouraged through social media and advertising. For example, some people may believe that they should follow fad diets or consume

processed foods, due to not understanding the long-term health consequences of these types of diets. Through the use of accurate and scientifically-supported information, nutrition education can assist individuals in establishing healthy, sustainable diets that lead to optimal health throughout their lives.

6.2 Government Policies

Policies from governmental agencies are vital in establishing a setting conducive to healthy food consumption and food safety on an overall level across entire populations. Governmental food policies regulate the food industry and guarantee available to eat safely and nutritiously now and in the future. Governmental food policies also encourage consumers to make healthier choices. The effects of effective food policy interventions can be widespread, impacting large portions of the population, and also addressing issues that are systems-related concerning an individual's food and associated health (Kanter, et al 2015).

An example of a food policy intervention would be instituting a food labelling regulation to provide clear and accurate labelling for consumers to better understand the nutrition facts of the food they consume — how many calories are in a product, how much sugar is in a product, how much fat is in a product, and if there are any additives in a product — therefore allowing people to make better overall health-related food selections and avoid consuming products that would have adverse health effects on themselves.

Another example of an effective food policy would be government-enacted sugar and salt reduction programs that work in co-operation with food manufacturers to reduce the number of added sugars and sodium in their processed food products will aid in reducing obesity, hypertension, and cardiovascular disease rates. Governmental support for public health campaigns are normally implemented in association with significant government sugar and salt reduction legislative actions to alert consumers about the adverse health effects resulting from increased sugar and salt consumption.

Promoting healthy food choices through marketing regulations, taxes and subsidies is very important in creating and changing dietary behaviour (Ries, et al 2012). By subsidising fruit, vegetables, whole grains etc., they can become more affordable and accessible, especially for low-income individuals. Conversely, the tax applied to sugar-

based drinks and unhealthy snacks will potentially deter consumers from purchasing these products. When combined, these policies dynamically shift people's dietary habits, ultimately improving population health.

6.3 Community Interventions

Culturally competent interventions designed locally are critical for translating public health initiatives into action in the community. These interventions aim to establish a surrounding environment that promotes good health through nutritious food options and increases access to affordable, culturally appropriate, and nutritious food for individuals living in the targeted community. Working with a community on the ground allows for creating interventions that increase the likelihood of being successful and sustainable by responding to and being sensitive to the needs, culture, and context of the community in which they are implemented.

Programs providing meals for children in schools are among the most successful community-based interventions available. School nutrition programs provide meals for children attending school, thus providing children with many essential nutrients necessary to successfully grow and develop (Bundy, et al 2006). By providing children with access to essential nutrients through school nutrition programs, children are taught how to develop life-long healthy eating behaviours at an early age.

Communicating to the public through public education campaigns is another strategy for public health intervention. Public health campaigns often utilize multiple forms of media (e.g., television, social media, events within the community) to create awareness of the importance of balanced nutrition and safe food handling practices. The majority of public health campaigns focus on delivering simple, applicable tips to individuals on how they can change their eating behaviour to be healthier by reducing sugar intake, increasing fruit and vegetable consumption, and developing safe food handling practices.

One of the most effective ways of improving community health is through increasing access to affordable healthy foods and, therefore, this will be one of the priorities of any community intervention. One of the most common problems for low-income communities is that they lack access to healthy food, so many individuals turn to lower cost, but less nutritious, food. Initiatives such as community gardens,

local/seasonal markets and distributing food through food banks, etc., will address the gap in access to healthy food by increasing access to fresh and nutritious food.

In summary, community interventions provide the connection between policy and practice by providing the necessary tools to implement public health strategies successfully.

7. Challenges

Although awareness has increased about the value of balanced nutrition and food safety, ongoing barriers are hindering the effective implementation of public health strategies (Singh, et al 2024). These barriers are not only many but are also related; they require multifaceted solutions through communities working together on multiple levels.

The education level and awareness of the general population have a significant impact on these barriers. Many people do not know that balanced nutrition is important; others have no understanding of the information necessary to make healthy food choices. This is especially true in areas where levels of education are low and/or misinformation about diets/health is widespread.

Economic factors can greatly influence someone's eating habits. Healthy foods such as fresh fruit and vegetables and lean protein typically cost more than processed, energy-dense foods. As a result, individuals with low incomes cannot afford to eat a healthy diet; therefore, they are often poorly nourished and at higher risk for developing a variety of diseases, as well as leading to further societal issues. To remedy this situation, there are policies that promote/assist people in accessing affordable healthy foods.

Promoting healthy eating can be made more complex by the role that culture plays in the way people eat. Food has cultural significance; food choices develop out of tradition and social practice, and they may not be consistent with contemporary nutrition recommendations. Public health strategies need to be able to work within cultural contexts in order to help ensure that healthy practices are included, accepted, and sustainable despite the need to respect cultural differences (Jayasinghe, et al 2025). The food industry also poses a significant obstacle to promoting healthy eating. Companies that sell food typically advertise heavily processed foods that are high in sugar, salt, and bad fats, particularly towards children and young adults. Because of this

marketing, people often prefer heavily advertised, processed foods over healthier options. Regulating this type of advertising is critical to protecting public health.

These issues require a collaborative effort on the part of government, healthcare providers, education, and the community. It is necessary for all parties to work together to develop effective solutions for promoting healthy eating that meet the economic, cultural, and social needs of the community. Through collaboration, stakeholders can create an environment conducive to making healthy choices and improving the overall nutrition of their community.

Conclusion

The importance of balanced nutrition and safe food handling cannot be overstated when it comes to public health and preventing disease on a worldwide scale. A well-rounded diet provided with sufficient nutrients is essential for functioning properly and building one's immune system. Knowing how to handle food safely is equally essential in order to avoid foodborne illnesses or being exposed to harmful contaminants.

With the prevalence of chronic diseases increasing at an alarming rate, there is an urgent need to improve the way we eat and implement public health initiatives that support better eating habits. Through education, implementing sound public policy, and promoting healthy living, we can help reduce the world's burden of disease and improve the quality of life of all people.

In the end, integrating a balanced diet with safe food handling into our daily lives is the responsibility of everyone, and requires working together on all levels—local, national, and international.

References

- Al Mutairi, H. M., Shammari, A., Otaibi, D. F. A., Nasser, K. O. R., & Al Mutairi, S. M. (2022). The power of nutrition: How a healthy diet can shield against chronic diseases. *Power, 8*.
- Arif, L., Hamza, M., Iqbal, E., & Kaleem, Z. (2024). Role of micronutrients (vitamins & minerals). *International Journal of Multidisciplinary Sciences and Arts, 3*(2), 333-337.
- Betts, E. (2023). Eat to Live: The Connection between Food, Digestion and Diabetes.

- Biswas, V., Praveen, A., Marisetti, A. L., Sharma, A., Kumar, V., Sahu, S. K., & Tewari, D. (2022). A mechanistic overview on impact of dietary fibres on gut microbiota and its association with colon cancer. *Dietetics*, 1(3), 182-202.
- Bowen, D. J., Barrington, W. E., & Beresford, S. A. (2015). Identifying the effects of environmental and policy change interventions on healthy eating. *Annual review of public health*, 36(1), 289-306.
- Bundy, D., Shaeffer, S., Jukes, M., Beegle, K., Gillespie, A., Drake, L., ... & Wright, C. (2006). School-based health and nutrition programs. *Disease Control Priorities in Developing Countries. 2nd edition*.
- Calder, P. C. (2020). Nutrition, immunity and COVID-19. *BMJ nutrition, prevention & health*, 3(1), 74.
- Chandra, P., & Saxena, A. (2022). Lifestyle Disorders and Noncommunicable Diseases. *Clinical Update: Lifestyle Medicine*, 18.
- Contento, I. R. (2007). Nutrition education: linking research, theory, and practice.
- Corkins, M. R., Daniels, S. R., de Ferranti, S. D., Golden, N. H., Kim, J. H., Magge, S. N., & Schwarzenberg, S. J. (2016). Nutrition in children and adolescents. *Medical Clinics*, 100(6), 1217-1235.
- Drewnowski, A. (2020). Impact of nutrition interventions and dietary nutrient density on productivity in the workplace. *Nutrition reviews*, 78(3), 215-224.
- Ebert, M. (2018). Hygiene principles to avoid contamination/cross-contamination in the kitchen and during food processing. In *Staphylococcus aureus* (pp. 217-234). Academic Press.
- Fanzo, J. (2014). Strengthening the engagement of food and health systems to improve nutrition security: Synthesis and overview of approaches to address malnutrition. *Global food security*, 3(3-4), 183-192.
- Fuchs, F. D., & Whelton, P. K. (2020). High blood pressure and cardiovascular disease. *Hypertension*, 75(2), 285-292.
- Gush, L., Shah, S., & Gilani, F. (2021). Macronutrients and micronutrients. In *A prescription for healthy living* (pp. 255-273). Academic Press.
- Hassanpour, S. H., & Dehghani, M. (2017). Review of cancer from perspective of molecular. *Journal of cancer research and practice*, 4(4), 127-129.

- Humphries, D. L., Scott, M. E., & Vermund, S. H. (Eds.). (2021). *Nutrition and infectious diseases* (Vol. 10, pp. 978-983). Cham, Switzerland: Springer International Publishing.
- Jacob, M., & World Health Organization. (1989). *Safe food handling: a training guide for managers in food service establishments*. World Health Organization.
- Jáuregui-Lobera, I. (2014). Iron deficiency and cognitive functions. *Neuropsychiatric disease and treatment*, 2087-2095.
- Jayasinghe, S., Byrne, N. M., & Hills, A. P. (2025). The culture of healthy living—The international perspective. *Progress in Cardiovascular Diseases*.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., ... & Yang, C. W. (2013). Chronic kidney disease: global dimension and perspectives. *The lancet*, 382(9888), 260-272.
- Kanter, R., Walls, H. L., Tak, M., Roberts, F., & Waage, J. (2015). A conceptual framework for understanding the impacts of agriculture and food system policies on nutrition and health. *Food security*, 7(4), 767-777.
- Kiani, A. K., Dhuli, K., Donato, K., Aquilanti, B., Velluti, V., Matera, G., ... & Bertelli, M. (2022). Main nutritional deficiencies. *Journal of preventive medicine and hygiene*, 63(2 Suppl 3), E93.
- MacDonald, I. A. (2016). A review of recent evidence relating to sugars, insulin resistance and diabetes. *European journal of nutrition*, 55(Suppl 2), 17-23.
- Matera, M. G., Calzetta, L., & Cazzola, M. (2016). Oxidation pathway and exacerbations in COPD: the role of NAC. *Expert Review of Respiratory Medicine*, 10(1), 89-97.
- Mohammad, A. M., Chowdhury, T., Biswas, B., & Absar, N. (2018). Food poisoning and intoxication: A global leading concern for human health. In *Food safety and preservation* (pp. 307-352). Academic Press.
- Njike, V. Y., Smith, T. M., Shuval, O., Shuval, K., Edshteyn, I., Kalantari, V., & Yaroch, A. L. (2016). Snack food, satiety, and weight. *Advances in nutrition*, 7(5), 866-878.
- Pingali, P. (2007). Westernization of Asian diets and the transformation of food systems: Implications for research and policy. *Food policy*, 32(3), 281-298.
- Prabhu, S. R. (2023). Infectious and communicable diseases: an overview. *Textbook of general pathology for dental students*, 63-72.

- Ries, N. M. (2012). Legal and policy measures to promote healthy behaviour: using incentives and disincentives to control obesity. *McGill JL & Health*, 6, 1.
- Savarino, G., Corsello, A., & Corsello, G. (2021). Macronutrient balance and micronutrient amounts through growth and development. *Italian journal of pediatrics*, 47(1), 109.
- Shankar, A. H. (2020). Mineral deficiencies. In *Hunter's tropical medicine and emerging infectious diseases* (pp. 1048-1054). Elsevier.
- Singh, C., Arti, Yadav, N., Rao, K., Bharti, Bansal, N., & Archana, K. M. (2024). Nutrition role in maintaining health and preventing disease. *Current Nutrition & Food Science*, 20(8), 966-972.
- Singh, R., & Puniya, A. K. (2024). Role of food safety regulations in protecting public health. *Indian journal of microbiology*, 64(3), 1376-1378.
- Teicholz, N. (2014). *The big fat surprise: why butter, meat and cheese belong in a healthy diet*. Simon and Schuster.
- Van Boxtael, S., Devlieghere, F., Berkvens, D., Vermeulen, A., & Uyttendaele, M. (2014). Understanding and attitude regarding the shelf life labels and dates on pre-packed food products by Belgian consumers. *Food Control*, 37, 85-92.
- Wallace, C. A., Sperber, W. H., & Mortimore, S. E. (2018). *Food safety for the 21st century: Managing HACCP and food safety throughout the global supply chain*. John Wiley & Sons.
- Wood, J. D., Giromini, C., & Givens, D. I. (2024). Animal-derived foods: consumption, composition and effects on health and the environment: an overview. *Frontiers in Animal Science*, 5, 1332694.
- Wu, G. (2009). Amino acids: metabolism, functions, and nutrition. *Amino acids*, 37(1), 1-17.